



Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/HTTP	Warranty*	SRP (Inc. GST)
BRICs LCD Series		Waveform: Simulated Sine Wave												
A	BR700ELCD	Brick	v	v	700	420	AU Plug (4.45A)	(8) AU	v	v	PPPE	-	2 Years	\$149.00
	BR850ELCD	Brick	v	v	850	510	AU Plug (4.45A)	(8) AU	v	v	PPPE	-	2 Years	\$179.00
	BR1000ELCD	Brick	v	v	1000	600	AU Plug (4.45A)	(8) AU	v	v	PPPE	-	2 Years	\$209.00
	BR1200ELCD	Brick	v	v	1200	720	AU Plug (4.55A)	(8) AU	v	v	PPPE	-	2 Years	\$249.00
Value SOHO Series		Waveform: Simulated Sine Wave												
B	Value600EI	Tower	-	v	600	360	IEC C14 (2.72A)	(2) AU	v	v	PPPE	-	2 Years	\$99.00
	Value800EI	Tower	-	v	800	400	IEC C14 (2.72A)	(2) AU	v	v	PPPE	-	2 Years	\$129.00
	Value1000EI	Tower	-	v	1000	530	IEC C14 (2.72A)	(2) AU	v	v	PPPE	-	2 Years	\$179.00
C	Value1200ELCD	Tower	v	v	1200	720	IEC C14 (5.45A)	(4) AU	v	v	PPPE	-	2 Years	\$219.00
	Value1500ELCD	Tower	v	v	1500	900	IEC C14 (5.45A)	(4) AU	v	v	PPPE	-	2 Years	\$249.00
	Value2200ELCD	Tower	v	v	2200	1320	IEC C14 (5.45A)	(4) AU	v	v	PPPE	-	2 Years	\$339.00
PFC Sinewave Series		Waveform: Pure Sine Wave												
D	CP900EPFCLCD	Tower	v	v	900	540	IEC C14 (10A)	(2) AU + (4) IEC C13	v	-	PPPE	-	2 Years	\$249.00
	CP1300EPFCLCD	Tower	v	v	1300	780	IEC C14 (10A)	(2) AU + (4) IEC C13	v	v	PPPE	-	2 Years	\$349.00
	CP1500EPFCLCD	Tower	v	v	1500	900	IEC C14 (10A)	(2) AU + (4) IEC C13	v	v	PPPE	-	2 Years	\$419.00
Professional Tower Series		Waveform: Pure Sine Wave												
E	PR750ELCD	Tower	v	v	750	675	IEC C14 (10A)	(6) IEC C13	-	v	PPBE	Optional	3 Years	\$429.00
	PR1000ELCD	Tower	v	v	1000	900	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$559.00
	PR1500ELCD	Tower	v	v	1500	1350	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$689.00
F	PR2200ELCDSDL	Tower	v	v	2200	1980	IEC 320 C14 (10A)	(8) IEC 320 C13	-	v	PPBE	Optional	3 Years	\$909.00
	PR3000ELCDSDL	Tower	v	v	3000	2700	IEC 320 C20 (15A)	(8) IEC 320 C13, (1) IEC 320 C19	-	v	PPBE	Optional	3 Years	\$1,069.00
Professional Rackmount Series		Waveform: Pure Sine Wave												
G	PR1000ELCDRT1U	RM/T	v	v	1000	670	IEC C14 (10A)	(6) IEC C13	-	v	PPBE	Optional	3 Years	\$699.00
	PR1000ELCDRT2U	RM/T	v	v	1000	700	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$779.00
	PR1500ELCDRT2U	RM/T	v	v	1500	1000	IEC C14 (10A)	(8) IEC C13	v	v	PPBE	Optional	3 Years	\$829.00
	PR3000ELCDRT2U**	RM/T	v	v	3000	2250	IEC C20 (15A)	(9) IEC C13 + (1) IEC C19	v	v	PPBE	Optional	3 Years	\$1,609.00
	PR1000ELCDRTXL2U**	RM/T	v	v	1000	750	IEC C14 (10A)	(10) IEC C13	v	v	PPBE	Optional	3 Years	\$849.00
	PR1500ELCDRTXL2U**	RM/T	v	v	1500	1125	IEC C14 (10A)	(10) IEC C13	v	v	PPBE	Optional	3 Years	\$999.00
	PR2000ELCDRTXL2U**	RM/T	v	v	2000	1650	IEC C14 (10A)	(10) IEC C13	v	v	PPBE	Optional	3 Years	\$1,179.00
External Battery Module		Details												
H	BPE48V75ART2U	External battery packs for Professional Rackmount Series (PR1000ELCDRTXL2U / PR1500ELCDRTXL2U / PR2000ELCDRTXL2U / PR3000ELCDRT2U)												\$699.00

Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/HTTP	Warranty*	SRP (Inc. GST)
Online S & Online Series		Waveform: Online Double Conversion, Pure Sine Wave												
I	OLS1000E	Tower	v	-	1000	900	IEC C14 (10A)	(4) IEC320 C13	v	v	PPBE	Optional	3 Years	\$559.00
	OLS1500E	Tower	v	-	1500	1350	IEC C14 (10A)	(4) IEC320 C13	v	v	PPBE	Optional	3 Years	\$749.00
	OLS2000E	Tower	v	-	2000	1800	IEC C20 (16A)	(2+2) IEC320 C13, (1) Terminal Block	v	v	PPBE	Optional	3 Years	\$1,019.00
	OLS3000E	Tower	v	-	3000	2700	IEC C20 (16A)	(1) IEC320 C19, (2+2) IEC320 C13, (1) Terminal Block	v	v	PPBE	Optional	3 Years	\$1,149.00
J	OL1000ERTXL2U	RM/T	v	-	1000	900	IEC C14 (5A)	(8) IEC C13	v	v	PPBE	Optional	3 Years	\$1,299.00
	OL1500ERTXL2U	RM/T	v	-	1500	1350	IEC C14 (7.5A)	(8) IEC C13	v	v	PPBE	Optional	3 Years	\$1,569.00
	OL2000ERTXL2U	RM/T	v	-	2000	1800	IEC C14 (10A)	(8) IEC C13 + (1) IEC C19	v	v	PPBE	Optional	3 Years	\$1,969.00
	OL3000ERTXL2U	RM/T	v	-	3000	2700	IEC C20 (15A)	(8) IEC C13 + (1) IEC C19	v	v	PPBE	Optional	3 Years	\$2,569.00
K	OL6000ERT3UDM	RM/T	v	-	6000	5400	Hard-wired	(1) Terminal Block	v	v	PPBE	Optional	3 Years	\$5,499.00
	OL10000ERT3UDM	RM/T	v	-	10000	9000	Hard-wired	(1) Terminal Block	v	v	PPBE	Optional	3 Years	\$8,289.00
	OL6000ERT3UP	RM/T	v	-	6000	5400	Hard-wired	(2) IEC320 C19, (8) IEC320 C13, (1) Terminal Block	v	v	PPBE	Optional	2 Years	\$5,499.00
	OL10000ERT3UP	RM/T	v	-	10000	9000	Hard-wired	(2) IEC320 C19, (8) IEC320 C13, (1) Terminal Block	v	v	PPBE	Optional	2 Years	\$8,639.00
Manual Bypass PDU		Details												
L	MBP20HVAU3	19" rack horizontal or vertical mounting on CyberPower rack mount UPSs. Support UPS of maximum rating up to 3kVA.												\$349.00
External Battery Module		Details												
M	BPE36V60ART2US	External battery packs for Online Series (OL1000ERTXL2U / OL1500ERTXL2U)												\$699.00
	BPE72V60ART2US	External battery packs for Online Series (OL2000ERTXL2U / OL3000ERTXL2U)												\$1,169.00
	BPE240V30ART3U	External battery packs for Online Series (OL6000ERT3UP / OL6000ERT3UDM)												\$1,789.00
	BPE240V50ART3U	External battery packs for Online Series (OL10000ERT3UP / OL10000ERT3UDM)												\$2,179.00
	BPSE36V45A	External battery packs for Online Series (OLS1000E / OLS1500E)												\$459.00
	BPSE72V45A	External battery packs for Online Series (OLS2000E / OLS3000E)												\$719.00
SNMP Card Option		Details												
N	RMCARD203/205/303/305	Remote management capability for all SNMP/HTTP options on suitable UPS (RMCARD203/205: Professional Series ; RMCARD303/305: Online & Online S Series)												\$269.00
O	RELAYIO500	Onsite UPS status monitoring & local device control. Optional purchase for Professional, Online and Online S series UPS.												\$139.00
P	ENVIROSENSOR	Real-time environment monitoring option for both Professional and Online Series UPS. Bundle operation with RMCARD203/205/303/305, cannot operate independently.												\$179.00
UPS Accessories														
Q	IEC-3pin AU cable adaptor													\$11.99

* 2 Years on internal batteries ** Extended Runtime Models

CyberPower®

SMART PARTNER REFERENCE GUIDE



THREE PHASE UPS

Option	Model Name	Description	SRP (Inc GST)
Online S (3-Phase)			
R	OLS3S20KE	20KVA 400/230VAC 3PHASE IN / 230VAC 3PHASE OUT UPS, internal battery 12V/9AH 20pcs * 2 sets.	\$6,819.00
	OLS3S20KEXL	20KVA 400/230VAC 3PHASE IN / 230VAC 3PHASE OUT UPS, without batteries.	\$5,369.00
	BPSE240V82A	Battery Pack 9AH * 20pcs * 2sets	\$2,399.00
Modular UPS (3-Phase)			
S	SM20KPM	SM20KPM 3 PHASE UPS Power Module, without batteries	\$4,999.00
	SM060KMF	SM060KMF 3 PHASE UPS 60KVA Cabinet	\$7,869.00
	SM120KMF	SM120KMF 3 PHASE UPS 120KVA cabinet	\$11,049.00
	SM200KMF	SM200KMF 3 PHASE UPS 200KVA cabinet	\$14,679.00
	SM060KDF	Dust Filter for SM060KMF	\$159.00
	SM120KDF	Dust Filter for SM120KMF	\$209.00
	SM200KDF	Dust Filter for SM200KMF	\$339.00
	SMNNPK	Parallel kit for cabinet	\$569.00
STP33 (3-Phase)			
T	STP3T15KE	15KVA 400/230VAC 3PHASE SMART TOWER UPS, without batteries	\$5,479.00
	STP3T20KE	20KVA 400/230VAC 3PHASE SMART TOWER UPS, without batteries	\$6,049.00
	STP3T30KE	30KVA 400/230VAC 3PHASE SMART TOWER UPS, without batteries	\$7,619.00
	STP3T40KE	40KVA 400/230VAC 3PHASE SMART TOWER UPS, without batteries	\$9,769.00
	STP3T60KE	60KVA 400/230VAC 3PHASE SMART TOWER UPS, without batteries	\$15,229.00
	STP3T80KE	80KVA 400/230VAC 3PHASE SMART TOWER UPS, without batteries	\$19,089.00
	STP3T15KEBC	15KVA 400/230VAC 3PHASE SMART TOWER UPS, incl. 9AH battery * 40pcs	\$7,709.00
	STP3T20KEBC	20KVA 400/230VAC 3PHASE SMART TOWER UPS, incl. 12AH battery * 40pcs	\$8,849.00
	STP3T30KEBC	30KVA 400/230VAC 3PHASE SMART TOWER UPS, incl. 12AH battery * 40pcs	\$10,119.00
	STP3TNNPK10_30	Parallel kit for STP33 series UPS 10KVA~30KVA	\$309.00
	STP3TNNPK40_120	Parallel kit for STP33 series UPS 40KVA~120KVA	\$569.00

Option	Model Name	Description	SRP (Inc GST)
U	SMBF20_17	MAIN FRAME BATTERY CABINET for optional batteries 17AH or 20AH 40pcs	\$1,639.00
	SMBF40_26	MAIN FRAME BATTERY CABINET for optional batteries 26AH or 40AH 40pcs	\$2,029.00
	SMBF65	MAIN FRAME BATTERY CABINET for optional batteries 65AH 40pcs	\$2,439.00
	SMBCB125	CIRCUIT BREAKER MAGNETIC NADER NDM2Z-125 3P, 125A/3 poles suitable for SM060KMF	\$199.00
	SMBCB250	CIRCUIT BREAKER MAGNETIC NADER NDM2Z-250 3P, 250A/3 poles suitable for SM120KMF	\$459.00
	SMBCB400	CIRCUIT BREAKER MAGNETIC NADER NDM2Z-400 3P, 400A/3 poles suitable for SM200KMF	\$869.00
	SM125C20_17	INTERNAL CABLE AND COPPER BAR FOR SM125C20_17	\$539.00
	SM250C40_26	INTERNAL CABLE AND COPPER BAR FOR SM250C40_26	\$1,389.00
V	SM400C65	INTERNAL CABLE AND COPPER BAR FOR SM400C65	\$2,849.00
	BP17-12	Battery VRLA BB BP17-12FR 12V/ 17AH B1	\$59.00
	BP20-12	Battery VRLA BB BP20-12FR 12V/20AH B1	\$69.00
	BP26-12	Battery VRLA BB BP26-12FR 12V/26AH I1	\$89.00
	BP40-12	Battery VRLA BB BP40-12FR 12V/40AH I1	\$139.00
W	BP65-12	Battery VRLA BB BP65-12FR 12V/65AH I2	\$219.00
	SMBF18A2BT	Battery cabinet without batteires, for up to 8x SMBT9A10 battery trays	\$2,499.00
	SMBF36A4BT	Battery cabinet without batteries, for up to 16x SMBT9A10 battery trays	\$3,659.00
	SMBF72A8BT	Battery cabinet without batteries, for up to 32x SMBT9A10 battery trays	\$6,139.00
X	SMBT9A10	Battery tray with 10x 12V/9AH batteries	\$529.00
Y	RMDX520	SNMP card for Modular Series and STP33 series	\$219.00
	RMCARD303/305	SNMP card for Online Series and Online S (3-Phase) (OLS3S20KE / OLS3S20KEXL)	\$269.00



SMART PARTNER REFERENCE GUIDE



NOTEBOOK SURGE PROTECTOR

Model	CPS 500NBP
Input	
Input Voltage Range	100Vac-240Vac
Frequency Range	50/60Hz
Surge Protection and Filtering	
Surge Protection	500 Joules
EMI/RFI Noise Filter	Yes
Phone/Fax/Network Protection	RJ11/RJ45 (One in / One out)
LED Indicator Light	
Surge	Yes
Power	Yes
Physical	
Dimensions (mm)	135 x 45 x 36
Weight (g)	44
SRP (Inc. GST)	\$24.99



TELECOM POWER 12V DC UPS for FTTx, Wireless Local Loop and Telecom Applications

Model	CSN27U12V-AZ2	CS24U12V-AZ2
AC Input		
Input Voltage Range	90Vac - 264Vac	90Vac - 264Vac (Universal Input)
Input Frequency Range	47 - 70 Hz	
Input Power Cord	AS/NZS 3112I EC60320 C8	
Output Ground Reference	Floating Ground	
DC Output		
On Battery Output Voltage	12Vdc	
Continuous Power Capability	24W	
Output Power Max	26.4W (< 3 sec)	24W
Efficiency (at Full Load)	> 80%	> 85%
Battery		
Battery Type	Sealed, Maintenance Free Lead-Acid Battery	
Numbers of Battery	7.2AH/12V x 1	
Typical Recharge Time	14 Hours (90% charged)	18 Hours
Replaceable	Yes	
Surge Protection and Filtering		
Lightning / Surge Protection	Yes	
Warning Diagnostics		
Audible Indicator	Utility Failure, Low Battery	
LED Indicators	Utility Failure, Low Battery, Replace Battery	Utility Failure, Low Battery
Management		
Auto-Charge	Yes	
Communication Interface	On Battery, Replace Battery, Battery Missing, Low Battery	
Physical		
Maximum Dimensions (cm)	16.7 x 19 x 8.3	23.5 x 15.9 x 8.9
Weights (kg)	3.03	3.3
Weights (kg)	3.03	3.3
Operating Temperature	-4°F - 113°F (-20°C - 45°C) Operation at 50°C (122°F) with derating to 18W	32°F to 104°F (0°C to 40°C)
Operating Humidity	0 - 95% noncondensing within enclosure	
Max Operating Elevation	10,000 ft (3,000m)	
Max Storage Elevation	50,000 ft (15,000m)	
Storage Temperature	-4°F - 113°F (-20°C - 45°C)	5°F to 113°F (-15°C to 45°C)
SRP (Inc. GST)	\$199.00	\$199.00



SURGE PROTECTION

Model	HT0821TNCA0-AU / CPSURGE08-ANZ
Input	
Voltage	240Vac
Frequency	50Hz
Circuit Breaker	10Amps Resettable
Cord Length	2.10 meter
Plug Type	AU Plug
Output	
Outlet Type	(8) AU
Surge Protection & Filtering	
Surge Suppression	2,750 Joules
Maximum Peak Current	67,500 Amps
Clamping Voltage	L-N, L-G, N-G 1200V
Phone Protection RJ11	1-In, 1-Out
Network Protection RJ45	1-In, 1-Out
Coaxial Protection RG6 (Gold Plated)	1 Pair
Indicators	
Indicators	Protected (Green), Grounded (Green)
Warranty	
Product Warranty	Limited Lifetime
Connected Equipment Guarantee	Lifetime
CEG Amount	\$50,000
SRP (Inc. GST)	\$79.00

