



SINGLE PHASE UPS & ACCESSORY

Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/HTTP	Warranty*	SRP (Inc. GST)	
BRICs LCD Series		Waveform: Simulated Sine Wave													
A	BR700ELCD	Brick	v	v	700	420	AU Plug (10A)	(8) AU	v	v	PPPE	-	2 Years	\$149.00	
	BR850ELCD	Brick	v	v	850	510	AU Plug (10A)	(8) AU	v	v	PPPE	-	2 Years	\$179.00	
	BR1000ELCD	Brick	v	v	1000	600	AU Plug (10A)	(8) AU	v	v	PPPE	-	2 Years	\$209.00	
	BR1200ELCD	Brick	v	v	1200	720	AU Plug (10A)	(8) AU	v	v	PPPE	-	2 Years	\$249.00	
Value SOHO Series		Waveform: Simulated Sine Wave													
B	Value600E1	Tower	-	v	600	360	IEC C14 (10A)	(2) AU	v	v	PPPE	-	2 Years	\$99.00	
	Value800E1	Tower	-	v	800	400	IEC C14 (10A)	(2) AU	v	v	PPPE	-	2 Years	\$129.00	
	Value1000E1	Tower	-	v	1000	530	IEC C14 (10A)	(2) AU	v	v	PPPE	-	2 Years	\$179.00	
C	Value1200ELCD	Tower	v	v	1200	720	IEC C14 (10A)	(4) AU	v	v	PPPE	-	2 Years	\$219.00	
	Value1500ELCD	Tower	v	v	1500	900	IEC C14 (10A)	(4) AU	v	v	PPPE	-	2 Years	\$249.00	
	Value2200ELCD	Tower	v	v	2200	1320	IEC C14 (10A)	(4) AU	v	v	PPPE	-	2 Years	\$339.00	
PFC Sinewave Series		Waveform: Pure Sine Wave													
D	CP900EPFCLCD	Tower	v	v	900	540	IEC C14 (10A)	(2) AU + (4) IEC C13	v	-	PPPE	-	2 Years	\$249.00	
	CP1300EPFCLCD	Tower	v	v	1300	780	IEC C14 (10A)	(2) AU + (4) IEC C13	v	v	PPPE	-	2 Years	\$349.00	
	CP1500EPFCLCD	Tower	v	v	1500	900	IEC C14 (10A)	(2) AU + (4) IEC C13	v	v	PPPE	-	2 Years	\$419.00	
Office Rackmount Series		Waveform: Simulated Sine Wave													
E	OR600ELCDRM1U	Rack	v	v	600	360	IEC C14 (10A)	(6) IEC C13	v	v	PPBE	Optional	2 Years	\$419.00	
	OR1500ELCDRM1U	Rack	v	v	1500	900	IEC C14 (10A)	(6) IEC C13	v	v	PPBE	Optional	2 Years	\$519.00	
Professional Tower Series		Waveform: Pure Sine Wave													
F	PR750ELCD	Tower	v	v	750	675	IEC C14 (10A)	(6) IEC C13	-	v	PPBE	Optional	3 Years	\$429.00	
	PR1000ELCD	Tower	v	v	1000	900	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$559.00	
	PR1500ELCD	Tower	v	v	1500	1350	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$689.00	
	PR2200ELCDSL	Tower	v	v	2200	1980	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$909.00	
G	PR3000ELCDSL	Tower	v	v	3000	2700	IEC C20 (15A)	(8) IEC C13, (1) IEC C19	-	v	PPBE	Optional	3 Years	\$1,069.00	
	Professional Rackmount Series		Waveform: Pure Sine Wave												
H	PR750ELCDRT1U	RM/T	v	v	750	500	IEC C14 (10A)	(6) IEC C13	-	v	PPBE	Optional	3 Years	\$549.00	
	PR1000ELCDRT1U	RM/T	v	v	1000	670	IEC C14 (10A)	(6) IEC C13	-	v	PPBE	Optional	3 Years	\$699.00	
	PR1000ELCDRT2U	RM/T	v	v	1000	700	IEC C14 (10A)	(8) IEC C13	-	v	PPBE	Optional	3 Years	\$779.00	
	PR1500ELCDRT2U	RM/T	v	v	1500	1000	IEC C14 (10A)	(8) IEC C13	v	v	PPBE	Optional	3 Years	\$829.00	
	PR3000ELCDRT2U**	RM/T	v	v	3000	2250	IEC C20 (15A)	(9) IEC C13 + (1) IEC C19	v	v	PPBE	Optional	3 Years	\$1,609.00	
	PR1500ELCDRTXL2U**	RM/T	v	v	1500	1125	IEC C14 (10A)	(10) IEC C13	v	v	PPBE	Optional	3 Years	\$999.00	
	PR2000ELCDRTXL2U**	RM/T	v	v	2000	1650	IEC C14 (10A)	(10) IEC C13	v	v	PPBE	Optional	3 Years	\$1,179.00	
External Battery Module		Details													
I	BPE48V75ART2U	External battery packs for Professional Rackmount Series (PR1000ELCDRTXL2U / PR1500ELCDRTXL2U / PR2000ELCDRTXL2U / PR3000ELCDRT2U)													\$699.00

Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/HTTP	Warranty*	SRP (Inc. GST)	
Online S Series		Waveform: Online Double Conversion, Pure Sine Wave													
J	OLS1000E	Tower	v	-	1000	900	IEC C14 (10A)	(4) IEC C13	v	v	PPBE	Optional	2 Years	\$559.00	
	OLS1500E	Tower	v	-	1500	1350	IEC C14 (10A)	(4) IEC C13	v	v	PPBE	Optional	2 Years	\$749.00	
	OLS2000E	Tower	v	-	2000	1800	IEC C20 (10A)	(2+2) IEC C13, (1) Terminal Block	v	v	PPBE	Optional	2 Years	\$1,019.00	
	OLS3000E	Tower	v	-	3000	2700	IEC C20 (15A)	(1) IEC C19, (2+2) IEC C13, (1) Terminal Block	v	v	PPBE	Optional	2 Years	\$1,149.00	
	OLS6000E	Tower	v	-	6000	5400	Hard-wired	(1) Terminal Block	-	-	PPBE	Optional	2 Years	\$2,999.00	
	OLS10000E	Tower	v	-	10000	9000	Hard-wired	(1) Terminal Block	-	-	PPBE	Optional	2 Years	\$5,999.00	
External Battery Module		Details													
K	BPSE240V47A	External battery packs for Online S Series (OLS6000E)													\$2,099.00
	BPSE240V47AOA	External battery packs for Online S Series (OLS10000E)													\$2,299.00
Online Series		Waveform: Online Double Conversion, Pure Sine Wave													
L	OL1000ERTXL2U**	RM/T	v	-	1000	900	IEC C14 (10A)	(8) IEC C13	v	v	PPBE	Optional	2 Years	\$1,299.00	
	OL1500ERTXL2U**	RM/T	v	-	1500	1350	IEC C14 (10A)	(8) IEC C13	v	v	PPBE	Optional	2 Years	\$1,569.00	
	OL2000ERTXL2U**	RM/T	v	-	2000	1800	IEC C14 (10A)	(8) IEC C13 + (1) IEC C19	v	v	PPBE	Optional	2 Years	\$1,969.00	
	OL3000ERTXL2U**	RM/T	v	-	3000	2700	IEC C20 (15A)	(8) IEC C13 + (1) IEC C19	v	v	PPBE	Optional	2 Years	\$2,569.00	
M	OL6000ERT3UP**	RM/T	v	-	6000	5400	Hard-wired	(2) IEC C19, (8) IEC C13, (1) Terminal Block	v	v	PPBE	Optional	2 Years	\$5,499.00	
	OL10000ERT3UP**	RM/T	v	-	10000	9000	Hard-wired	(2) IEC C19, (8) IEC320 C13, (1) Terminal Block	v	v	PPBE	Optional	2 Years	\$8,639.00	
Manual Bypass PDU		Details													
N	MBP20HVAU3	19" rack horizontal or vertical mounting on CyberPower rack mount UPSs. Support UPS of maximum rating up to 3kVA.													\$349.00
External Battery Module		Details													
O	BPE36V60ART2US	External battery packs for Online Series (OL1000ERTXL2U / OL1500ERTXL2U)													\$699.00
	BPE72V60ART2US	External battery packs for Online Series (OL2000ERTXL2U / OL3000ERTXL2U)													\$1,169.00
	BPE240V30ART3U	External battery packs for Online Series (OL6000ERT3UP)													\$1,789.00
	BPE240V50ART3U	External battery packs for Online Series (OL10000ERT3UP)													\$2,179.00
	BPSE36V45A	External battery packs for Online Series (OLS1000E / OLS1500E)													\$459.00
R	BPSE72V45A	External battery packs for Online Series (OLS2000E / OLS3000E)													\$719.00
SNMP Card Option		Details													
P	RMCARD205	SNMP Card to Suit PRO, OLS and ONLINE Series UPS													\$269.00
Q	RELAYIO500	Onsite UPS status monitoring & local device control. Optional purchase for Professional, Online and Online S Series UPS.													\$139.00
R	ENVIROSENSOR	Real-time environment monitoring option for both Professional and Online Series UPS. Bundle operation with RMCARD205, cannot operate independently.													\$179.00
UPS Accessories		Details													
S	IEC to AU Cable adaptor														\$11.99

* 2 Years on internal batteries ** Extended Runtime Models



THREE PHASE UPS & RACK, ENCLOSURE

Option	Model Name	Description	SRP(Inc. GST)
Online S (3-Phase)			
Details			
A	OLS3S20KE	20kVA 400/230Vac 3-Phase In / 230Vac 3-Phase Out UPS, internal battery 12V/9AH 20pcs * 2 sets, with batteries	\$9,999.00
	OLS3S20KEXL	20kVA 400/230Vac 3-Phase In / 230Vac 3-Phase Out UPS	\$7,999.00
	BPSE240V82A	Battery Pack 9AH * 20pcs * 2sets	\$2,999.00
Modular UPS (3-Phase)			
Details			
B	SM20KPM	3-Phase UPS power module	POA
	SM060KMF	3-Phase UPS 60kVA cabinet	POA
	SM120KMF	3-Phase UPS 120kVA cabinet	POA
	SM200KMF	3-Phase UPS 200kVA cabinet	POA
	SM060KDF	Dust Filter for SM060KMF	POA
	SM120KDF	Dust Filter for SM120KMF	POA
	SM200KDF	Dust Filter for SM200KMF	POA
SMNNPK	Parallel kit for cabinet	POA	
HSTP UPS (3-Phase)			
Details			
C	HSTP3T10KE	10kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T10KEBC	10kVA 400/230Vac 3-Phase UPS, with batteries	POA
	HSTP3T15KE	15kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T15KEBC	15kVA 400/230Vac 3-Phase UPS, with batteries	POA
	HSTP3T20KE	20kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T20KEBC	20kVA 400/230Vac 3-Phase UPS, with batteries	POA
	HSTP3T30KE	30kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T30KEBC	30kVA 400/230Vac 3-Phase UPS, with batteries	POA
	HSTP3T40KE	40kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T40KEBC	40kVA 400/230Vac 3-Phase UPS, with batteries	POA
	HSTP3T60KE	60kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T80KE	80kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T90KE	90kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T100KE	100kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T120KE	120kVA 400/230Vac 3-Phase UPS	POA
	PARLCARD301	Parallel card for HSTP3T10/15KE Series	POA
PARLCARD302	Parallel card for HSTP3T20/30KE Series	POA	
PARLCARD303	Parallel card for HSTP3T40KE Series	POA	
PARLCARD304	Parallel card for over HSTP3T60KE Series	POA	
Battery Cabinet and Accessories			
Details			
D	SMBF17	Main frame battery cabinet for optional batteries 17AH 40pcs	POA
	SMBF20	Main frame battery cabinet for optional batteries 20AH 40pcs	POA
	SMBF26	Main frame battery cabinet for optional batteries 26AH 40pcs	POA
	SMBF33	Main frame battery cabinet for optional batteries 33AH 40pcs	POA
	SMBF40	Main frame battery cabinet for optional batteries 40AH 40pcs	POA
	SMBF65	Main frame battery cabinet for optional batteries 65AH 40pcs	POA
	SMBCB125	Circuit breaker magnetic Nader NDMZ2-125 3P, 125A/3 poles	POA
	SMBCB250	Circuit breaker magnetic Nader NDMZ2-250 3P, 250A/3 poles	POA
	SMBCB400	Circuit breaker magnetic Nader NDMZ2-400 3P, 400A/3 poles	POA
	SM125C20_17	Internal cable and copper bar for SM125C20_17	POA
	SM250C40_26	Internal cable and copper bar for SM250C40_26	POA
	SM400C65	Internal cable and copper bar for SM400C65	POA
Battery			
Details			
E	BP17-12	Battery VRLA BB BP17-12FR 12V/17AH B1	POA
	BP20-12	Battery VRLA BB BP20-12FR 12V/20AH B1	POA
	BP26-12	Battery VRLA BB BP26-12FR 12V/26AH B1	POA
	BP40-12	Battery VRLA BB BP40-12FR 12V/40AH B1	POA
	BP65-12	Battery VRLA BB BP65-12FR 12V/65AH B1	POA

Option	Model Name	Description	SRP(Inc. GST)
Modular Battery Cabinet			
Details			
F	SMBF18A2BT	Battery cabinet without batteries, for up to 8 * SMBT9A10 battery trays	POA
	SMBF36A4BT	Battery cabinet without batteries, for up to 16 * SMBT9A10 battery trays	POA
	SMBF72A8BT	Battery cabinet without batteries, for up to 32 * SMBT9A10 battery trays	POA
	SMBT9A10	Battery tray with 10 * 12V/9AH batteries	POA
SNMP Card Option			
Details			
G	RMDX520	SNMP card for Modular Series	POA
	RMDY802	SNMP card for HSTP Series	POA
Floor Standing Rack			
Details			
H	CR42U11001	42U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,299.00
	CR24U11001	24U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$999.00
Wall Mount Enclosure			
Details			
I	CR12U51001	12U 600mm wide 600mm deep swing-out wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$299.00
	CR9U61001	9U 600mm wide 600mm deep wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$249.00
	CR6U61001	6U 600mm wide 600mm deep wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$199.00
4-Post Open Frame Rack			
Details			
J	CR45U40001	45U 600mm wide 558.8mm-1023mm deep 4-post open frame rack, depth adjustable, 800kg loading capacity	\$599.00
	CR25U40001	25U 600mm wide 558.8mm-1023mm deep 4-post open frame rack, depth adjustable, 800kg loading capacity	\$399.00
Fans			
Details			
K	CRA12001	208/240Vac roof fan panel, 6 * fans, for 1070mm-1200mm deep enclosures	\$149.00
	CRA12002	208/240Vac wall mount fan kit, 2 * fans	\$99.00
	CRA12003	208/240Vac 19" 3U fan panel, 3 * fans	\$99.00
Air Flow Management			
Details			
L	CRA20001	1U blanking panel kit, toolless installation, 10pcs per pack	\$79.00
Cable management			
Details			
M	CRA30001	Vertical duct cable manager with cover, 2 * 1.8m sections, toolless mounting	\$79.00
	CRA30002	19" 1U metal duct cable manager with cover	\$19.00
	CRA30003	19" 1U plastic duct cable manager with cover	\$19.00
	CRA30004	19" 1U flexible ring cable manager	\$19.00
	CRA30005	19" 1U brush panel	\$19.00
	CRA30006	19" 2U flexible ring cable manager	\$29.00
	CRA30007	Vertical flexible ring cable manager, 2 * 1.8m sections, toolless mounting	\$49.00
	CRA30008	Cable ladder 3m, 2 * 1.5m sections	\$79.00
	CRA30009	Power cable trough, for 600mm wide rack enclosures	\$49.00
	CRA30010	Data cable partitions, 2 partitions, for 600mm wide rack enclosures	\$59.00
Security			
Details			
N	CRA40001	Combination door lock, 2 per pack	\$69.00
Shelves			
Details			
O	CRA50001	19" 2U cantilever shelf, 350mm deep	\$39.00
	CRA50002	19" 1U cantilever shelf, 350mm deep	\$29.00
	CRA50003	19" 1U sliding shelf, 650mm deep	\$69.00
	CRA50004	19" 1U sliding keyboard shelf, 500mm deep	\$69.00
	CRA50005	19" 1U heavy duty fixed shelf, 650mm deep, mounting depth adjustable, for rack enclosure	\$69.00
	CRA50006	19" 1U heavy duty 558.8mm-1023mm depth adjustable shelf, for 4-post open-frame rack	\$99.00
Rack Hardware			
Details			
P	CRA60001	M6 cage nut and screw hardware, 50 per pack	\$9.99
	CRA60002	Caster kit, 4 per pack	\$39.00
	CRA60003	Heavy duty caster kit, 4 per pack, with 4 * leveling feet and 2 * L-shape plates	\$99.00
	CRA60004	Rack enclosure stabilizer kit, 2 per pack	\$79.00



NOTEBOOK SURGE PROTECTOR

Model	CPS 500NBP
Input	
Input Voltage Range	100Vac-240Vac
Frequency Range	50/60Hz
Surge Protection and Filtering	
Surge Protection	500 Joules
EMI/RFI Noise Filter	Yes
Phone/Fax/Network Protection	RJ11/RJ45 (One in / One out)
LED Indicator Light	
Surge	Yes
Power	Yes
Physical	
Dimensions (mm)	135 x 45 x 36
Weight (g)	44
SRP (Inc. GST)	\$24.99



POWER BANK

Model	CP5000PEG-RD	CP5000PEG-WG	CP10000PEG-RD	CP10000PEG-WG	CP15000PEG-RD	CP15000PEG-WG
Battery Capacity	5000mAh	5000mAh	10000mAh	10000mAh	15000mAh	15000mAh
Rated Input	DC 5V 2.5A	DC 5V 2.5A	DC 5V 2.5A	DC 5V 2.5A	DC 5V 2.5A	DC 5V 2.5A
Rated Output	DC 5V 2.1A	DC 5V 2.1A	DC 5V 2.1A; DC 5V 1A	DC 5V 2.1A; DC 5V 1A	DC 5V 2.1A; DC 5V 1A	DC 5V 2.1A; DC 5V 1A
Dimension (mm)	65 x 115 x 12.4	65 x 115 x 12.4	76.4 x 140.5 x 14.6	76.4 x 140.5 x 14.6	76.4 x 140.5 x 20.4	76.4 x 140.5 x 20.4
Weight (g)	134	134	235	235	333	333
Environmental	Storage: -10 to 50°C (14 to 122°F) Operation: 0 to 40°C (32 to 104°F)	Storage: -10 to 50°C (14 to 122°F) Operation: 0 to 40°C (32 to 104°F)	Storage: -10 to 50°C (14 to 122°F) Operation: 0 to 40°C (32 to 104°F)	Storage: -10 to 50°C (14 to 122°F) Operation: 0 to 40°C (32 to 104°F)	Storage: -10 to 50°C (14 to 122°F) Operation: 0 to 40°C (32 to 104°F)	Storage: -10 to 50°C (14 to 122°F) Operation: 0 to 40°C (32 to 104°F)
Certification	CE, BIS, BSMI, RCM	CE, BIS, BSMI, RCM	CE, BIS, RCM	CE, BIS, RCM	CE, BIS, RCM	CE, BIS, RCM
Color	Black	White	Black	White	Black	White
RoHS Compliant	Yes	Yes	Yes	Yes	Yes	Yes
SRP (Inc. GST)	\$29.95	\$29.95	\$39.95	\$39.95	\$49.95	\$49.95



SURGE PROTECTOR

Model	P0821UA1-AU / CPSURGE08USB-ANZ
Input	
Voltage	240V
Rating	240V/10A
Switch	On/Off
Circuit Breaker	10Amps Resettable
Power Cord	
Plug Type	AU
Plug Style	Straight
Cord Length	2.1m
Output	
Outlets-Total	8
Outlet Type	AU
USB Charging Ports	5V/2.4A
Number of USB Port (pcs)	2
Surge Protection & Filtering	
Surge Suppression	2,750 Joules
Maximum Surge Voltage	6,000V
Maximum Surge Current	67,500A
Maximum Surge Current L-N	37,500A
Maximum Surge Current H-G	15,000A
Maximum Surge Current N-G	15,000A
Clamping Voltage	L-N, L-G, N-G 1200V
Response Time	< 1 nanosecond
EMI/RFI Filtration	150 kHz to 100 MHz
Attenuation	Up to 32dB
Indicators	
Indicators	Protected (Green), Grounded (Green)
Physical Size	
Dimensions (WxHxD) (mm.)	276 x 130 x 32
Weight (kg)	0.612
Warranty	
Product Warranty	Limited Lifetime
Connected Equipment Guarantee	Limited Lifetime
CEG Amount	AUD 50,000
SRP (Inc. GST)	\$79.99



TELECOM POWER 12V DC UPS for FTTH, Wireless Local Loop and Telecom Applications

Model	CSN27U12V-AZZ	CS24U12V-AZZ
AC Input		
Input Voltage Range	90Vac - 264Vac	90Vac - 264Vac (Universal Input)
Input Frequency Range	47 - 70 Hz	
Input Power Cord	AS/NZS 3112; EC60320 C8	AS/NZS 3112; EC60320 C8
Output Ground Reference	Floating Ground	Floating Ground
DC Output		
On Battery Output Voltage	12Vdc	12Vdc
Continuous Power Capability	24W	24W
Output Power Max	26.4W (< 3 sec)	24W
Efficiency (at Full Load)	> 80%	> 85%
Battery		
Battery Type	Sealed, Maintenance Free Lead-Acid Battery	Sealed, Maintenance Free Lead-Acid Battery
Numbers of Battery	7.2AH/12V x 1	7.2AH/12V x 1
Typical Recharge Time	14 Hours (90% charged)	18 Hours
Replaceable	Yes	Yes
Surge Protection and Filtering		
Lightning / Surge Protection	Yes	Yes
Warning Diagnostics		
Audible Indicator	Utility Failure, Low Battery	Utility Failure, Low Battery
LED Indicators	Utility Failure, Low Battery, Replace Battery	Utility Failure, Low Battery
Management		
Auto-Charge	Yes	Yes
Communication Interface	On Battery, Replace Battery, Battery Missing, Low Battery	On Battery, Replace Battery, Battery Missing, Low Battery
Physical		
Maximum Dimensions (cm)	16.7 x 19 x 8.3	23.5 x 15.9 x 8.9
Weights (kg)	3.03	3.3
Weights (kg)	3.03	3.3
Operating Temperature	-4°F - 113°F (-20°C - 45°C) Operation at 50°C (122°F) with derating to 18W	32°F to 104°F (0°C to 40°C)
Operating Humidity	0 - 95% noncondensing within enclosure	0 - 95% noncondensing within enclosure
Max Operating Elevation	10,000 ft (3,000m)	10,000 ft (3,000m)
Max Storage Elevation	50,000 ft (15,000m)	50,000 ft (15,000m)
Storage Temperature	-4°F - 113°F (-20°C - 45°C)	5°F to 113°F (-15°C to 45°C)
SRP (Inc. GST)	\$199.00	\$199.00



TRAVEL ADAPTER

Model	TR01WSUC0-UN
Input	
Voltage	100 - 240V
Rating	6A
Power Cord	
Plug Type	UK/EU/US/AU
Output	
Outlet Type	UN x 1
USB Charging Ports	5V/2.4A
Number of USB Port (pcs)	2
Indicators	
Indicators	On/off
Physical	
Enclosure Construction	PC
Safety Covers	Yes
Dimensions (WxHxD) (mm)	66.5 x 70 x 55.5
Environmental	
Operating Temperature	32 °F ~ 95 °F / 0 °C ~ 35 °C
Operating Humidity	0% - 95% non-condensing
Storage Temperature	5 °F ~ 113 °F / -15 °C ~ 45 °C
Certifications	
RoHS	RoHS Compliant
Warranty	
Product Warranty	1 Year Limited
SRP (Inc. GST)	\$24.95