

Single Phase UPS & Accessories



Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/HTTP	Warranty*	SRP (Inc. GST)
BRICs LCD Series Waveform : Simulated Sine Wave														
A	BR700ELCD	Brick	v	v	700	420	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$189.00
	BR850ELCD	Brick	v	v	850	510	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$219.00
	BR1000ELCD	Brick	v	v	1000	600	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$259.00
	BR1200ELCD	Brick	v	v	1200	720	AU Plug (10A)	(8) AU	v	v	PPP	-	2 Years	\$309.00
Value SOHO Series Waveform : Simulated Sine Wave														
B	Value600EI	Tower	-	v	600	360	IEC C14 (10A)	(2) AU	v	v	PPP	-	2 Years	\$119.00
	Value800EI	Tower	-	v	800	480	IEC C14 (10A)	(2) AU	v	v	PPP	-	2 Years	\$159.00
	Value1000EI	Tower	-	v	1000	550	IEC C14 (10A)	(2) AU	v	v	PPP	-	2 Years	\$209.00
	Value1200ELCD	Tower	v	v	1200	720	IEC C14 (10A)	(4) AU	v	v	PPP	-	2 Years	\$289.00
	Value1500ELCD	Tower	v	v	1500	900	IEC C14 (10A)	(4) AU	v	v	PPP	-	2 Years	\$329.00
Value2200ELCD	Tower	v	v	2200	1320	IEC C14 (10A)	(4) AU	v	v	PPP	-	2 Years	\$459.00	
PFC Sinewave Series Waveform : Pure Sine Wave														
C	CP900EPFCLCD	Tower	v	v	900	540	IEC C14 (10A)	(6) AU	v	v	PPP	-	2 Years	\$329.00
	CPI300EPFCLCD	Tower	v	v	1300	780	IEC C14 (10A)	(6) AU	v	v	PPP	-	2 Years	\$439.00
	CP1500EPFCLCD	Tower	v	v	1500	900	IEC C14 (10A)	(6) AU	v	v	PPP	-	2 Years	\$529.00
Office Rackmount Series Waveform: Simulated Sine Wave														
D	OR600ELCDRM1U	Rack	v	v	600	360	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$549.00
	OR1000ELCDRM1U	Rack	v	v	1000	600	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$609.00
	OR1500ELCDRM1U	Rack	v	v	1500	900	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$729.00
Professional Tower Series Waveform : Pure Sine Wave														
E	PR750ELCD	Tower	v	v	750	675	IEC C14 (10A)	(6) IEC C13	-	v	PPB	Optional	3 Years	\$549.00
	PR1000ELCD	Tower	v	v	1000	900	IEC C14 (10A)	(8) IEC C13	-	v	PPB	Optional	3 Years	\$719.00
	PR1500ELCD	Tower	v	v	1500	1350	IEC C14 (10A)	(8) IEC C13	-	v	PPB	Optional	3 Years	\$889.00
	PR2200ELCDSL	Tower	v	v	2200	1980	IEC C14 (10A)	(8) IEC C13	-	v	PPB	Optional	3 Years	\$1,189.00
	PR3000ELCDSL	Tower	v	v	3000	2700	IEC C20 (15A)	(8) IEC C13, (1) IEC C19	-	v	PPB	Optional	3 Years	\$1,399.00
Professional Rackmount Series Waveform : Pure Sine Wave														
F	PR750ELCDRTIU	RM/T	v	v	750	500	IEC C14 (10A)	(6) IEC C13	-	v	PPB	Optional	3 Years	\$779.00
	PR3000ELCDRT2U	RM/T	v	v	3000	2700	IEC C20 (16A)	(1) IEC C19, (9) IEC C13	v	v	PPB	Optional	3 Years	\$1,979.00
	PR1000ERT2U	RM/T	v	v	1000	1000	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$859.00
	PR1500ERT2U	RM/T	v	v	1500	1500	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$1,039.00
	PR1000ERTXL2U**	RM/T	v	v	1000	1000	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$999.00
	PR1500ERTXL2U**	RM/T	v	v	1500	1500	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$1,219.00
	PR2000ERTXL2U**	RM/T	v	v	2000	2000	IEC C14 (10A)	(10) IEC C13	v	v	PPB	Optional	3 Years	\$1,449.00
	PR3000ERTXL2U**	RM/T	v	v	3000	3000	IEC C20 (16A)	(2) IEC C19, (6) IEC C13	v	v	PPB	Optional	3 Years	\$1,979.00
Extended Battery Module Details														
G	BPE48V75ART2U	External battery packs for Professional Rackmount Series (PR3000ELCDRT2U)												\$819.00
	BP48VP2U01	External battery packs for Professional Rackmount Series (PR1000ERTXL2U)												\$679.00
	BP48VP2U02	External battery packs for Professional Rackmount Series (PR1500ERTXL2U, PR2000ERTXL2U, PR3000ERTXL2U)												\$859.00
Online S Series Waveform : Online Double Conversion, Pure Sine Wave														
H	OLS1000E**	Tower	v	-	1000	900	IEC C14 (10A)	(4) IEC C13	v	v	PPB	Optional	2 Years	\$709.00
	OLS1500E**	Tower	v	-	1500	1350	IEC C14 (10A)	(4) IEC C13	v	v	PPB	Optional	2 Years	\$959.00
	OLS2000E**	Tower	v	-	2000	1800	IEC C20 (10A)	(4) IEC C13, (1) Terminal Block	v	v	PPB	Optional	2 Years	\$1,309.00
	OLS3000E**	Tower	v	-	3000	2700	IEC C20 (15A)	(1) IEC C19, (4) IEC C13, (1) Terminal Block	v	v	PPB	Optional	2 Years	\$1,469.00
	OLS6000E**	Tower	v	-	6000	5400	Hard-wired	(1) Terminal Block	-	v	PPB	Optional	2 Years	\$3,869.00
	OLS10000E**	Tower	v	-	10000	9000	Hard-wired	(1) Terminal Block	-	v	PPB	Optional	2 Years	\$4,769.00
	OLS1000ERT2U**	RM/T	v	-	1000	900	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$1,219.00
	OLS1500ERT2U**	RM/T	v	-	1500	1350	IEC C14 (10A)	(6) IEC C13	v	v	PPB	Optional	2 Years	\$1,439.00
	OLS2000ERT2U**	RM/T	v	-	2000	1800	IEC C20 (10A)	(8) IEC C13	v	v	PPB	Optional	2 Years	\$1,819.00
	OLS3000ERT2U**	RM/T	v	-	3000	2700	IEC C20 (15A)	(1) IEC C19, (8) IEC C13	v	v	PPB	Optional	2 Years	\$2,029.00
	OLS6000ERT6UM**	RM/T	v	-	6000	5400	Hard-wired	(1) Terminal Block [On UPS] (4) IEC C19, (4) IEC C13, (1) Terminal Block [On MBP]	-	v	PPB	Optional	2 Years	\$5,779.00
	OLS10000ERT6UM**	RM/T	v	-	10000	9000	Hard-wired	(4) IEC C13, (1) Terminal Block [On MBP]	-	v	PPB	Optional	2 Years	\$7,089.00

Option	Model	Form	LCD	AVR	VA	Watt	Input Connection	Outlet	RJ11/45	USB	Software	SNMP/HTTP	Warranty*	SRP (Inc. GST)
Extended Battery Module Details														
I	BPSE36V45A	External battery packs for Online Series (OLS1000E / OLS1500E)												\$589.00
	BPSE72V45A	External battery packs for Online Series (OLS2000E / OLS3000E)												\$919.00
	BPSE240V47A	External battery packs for Online S Series (OLS6000E)												\$2,859.00
	BPSE240V47AOA	External battery packs for Online S Series (OLS10000E)												\$3,269.00
J	BPSE36V45ART2U	External battery packs for Online S Series (OLS1000ERT2U, OLS1500ERT2U)												\$809.00
	BPSE72V45ART2U	External battery packs for Online S Series (OLS2000ERT2U, OLS3000ERT2U)												\$1,239.00
K	BPSE240V75ART3U	External battery packs for Online S Series (OLS6000ERT6UM)												\$1,889.00
	BPSE240V75ART3UOA	External battery packs for Online S Series (OLS10000ERT6UM)												\$2,129.00
Online Series Waveform : Online Double Conversion, Pure Sine Wave														
L	OL1000ERTXL2U**	RM/T	v	-	1000	900	IEC C14 (10A)	(8) IEC C13	v	v	PPB	Optional	2 Years	\$1,509.00
	OL1500ERTXL2U**	RM/T	v	-	1500	1350	IEC C14 (10A)	(8) IEC C13	v	v	PPB	Optional	2 Years	\$1,829.00
	OL2000ERTXL2U**	RM/T	v	-	2000	1800	IEC C14 (10A)	(8) IEC C13, (1) IEC C19	v	v	PPB	Optional	2 Years	\$2,259.00
	OL3000ERTXL2U**	RM/T	v	-	3000	2700	IEC C20 (15A)	(8) IEC C13, (1) IEC C19	v	v	PPB	Optional	2 Years	\$2,999.00
	OL6000ERT3UP**	RM/T	v	-	6000	5400	Hard-wired	(2) IEC C19, (8) IEC C13, (1) Terminal Block	v	v	PPB	Optional	2 Years	\$7,359.00
OL10000ERT3UP**	RM/T	v	-	10000	9000	Hard-wired	(2) IEC C19, (8) IEC320 C13, (1) Terminal Block	v	v	PPB	Optional	2 Years	\$10,109.00	
Manual Bypass PDU Details														
M	MBP20HVAU3	19" rack horizontal or vertical mounting on CyberPower rack mount UPSs. Support UPS of maximum rating up to 3kVA.												\$379.00
Extended Battery Module Details														
N	BPE36V60ART2US	External battery packs for Online Series (OL1000ERTXL2U / OL1500ERTXL2U)												\$769.00
	BPE72V60ART2US	External battery packs for Online Series (OL2000ERTXL2U / OL3000ERTXL2U)												\$1,289.00
O	BPE240V30ART3U	External battery packs for Online Series (OL6000ERT3UP)												\$2,089.00
	BPE240V50ART3U	External battery packs for Online Series (OL10000ERT3UP)												\$2,549.00
Online (High-Density) Series Waveform: Online Double Conversion, Pure Sine Wave														
P	OL6KERTHD	RM/T	v	-	6000	6000	Hard-wired	(4) IEC C13, (2) IEC C19, (1) Terminal Block	-	v	PPB	Optional	2 Years	\$6649.00
Extended Battery Module Details														
Q	BPE144VL2U01	External battery packs for Online (High-Density) Series (OL5KERTHD, OL6KERTHD)												\$2,329.00
SNMP Card Option Details														
R	RMCARD205	SNMP Card to Suit Professional, Online and Online S Series UPS.												\$379.00
S	RELAYIO500	Onsite UPS status monitoring & local device control. Optional purchase for Professional, Online and Online S Series UPS.												\$169.00
T	ENVIROSENSOR	Real-time environment monitoring option for both Professional, Online and Online S Series UPS. Bundle operation with RMCARD205, cannot operate independently.												\$279.00
UPS Accessories Details														
U	IEC to AU Cable adaptor	IEC-3pin AU cable adaptor												\$19.00
	CP2RAIL02	Rack Rail Kit to suit Professional Rackmount Series (PR1500ERT2U)												\$209.00
Replacement Battery Pack Details														
V	RBPO014/ RB1270X2B	Replacement battery pack for PR750ELCD.												\$89.00
	RBPO023/ RB12170X2A	Replacement battery pack for PR1500ELCD.												\$229.00
	RBPO027/ RB0690X4A	Replacement battery pack for PR750ELCDRTIU.												\$149.00
	RBPO030	Replacement battery pack for PR1000ELCDRT2U, PR1500ELCDRT2U.												\$209.00
	RBPO040	Replacement battery pack for PR3000ELCDRT2U.												\$239.00
	RBPO072	Replacement battery pack for OL10000ERT3UP, BPE240V50ART3U.												\$639.00
	RBPO073	Replacement battery pack for OL6000ERT3UP, BPE240V30ART3U.												\$529.00
	RBPO074	Replacement battery pack for OL1000ERTXL2U, OL1500ERTXL2U.												\$189.00
	RBPO076	Replacement battery pack for OL2000ERTXL2U, OL3000ERTXL2U.												\$359.00
	RBPO106/ RB12120X2B	Replacement battery pack for PR1000ELCD.												\$149.00
	RBPO116/ RB1290X4F	Replacement battery pack for PR2200ELCDSL, PR3000ELCDSL.												\$219.00
	RBPO131	Replacement battery pack for BPE72V60ART2US.												\$729.00

*Cyberpower reserves the right to change specification or pricing, without prior notice.



Three Phase UPS

Option	Model	Description	SRP (Inc. GST)
Online S (3-Phase)			
Details			
A	OLS3S15KE	15kVA 400/230Vac 3-Phase In / 230Vac 1-Phase Out UPS, internal battery 12V/9AH 20pcs * 2 sets	\$8,289.00
	OLS3S20KE	20kVA 400/230Vac 3-Phase In / 230Vac 1-Phase Out UPS, internal battery 12V/9AH 20pcs * 2 sets	\$10,239.00
	OLS3S20KEXL	20kVA 400/230Vac 3-Phase In / 230Vac 1-Phase Out UPS, external battery 240Vdc	\$8,059.00
	BPSE240V82A	Battery Pack 9AH * 20pcs * 2sets	\$3,049.00
Modular UPS (3-Phase)			
Details			
B	SM30KPMX	3-Phase UPS power module	\$6,309.00
	SM180KMF	3-Phase UPS 180kVA cabinet	\$12,899.00
	SM300KMF	3-Phase UPS 300kVA cabinet	\$18,509.00
	SM600KMF	3-Phase UPS 600kVA cabinet	\$54,199.00
	SM20KPM	3-Phase UPS power module	POA
	SM060KMF	3-Phase UPS 60kVA cabinet	POA
	SM120KMF	3-Phase UPS 120kVA cabinet	POA
	SM200KMF	3-Phase UPS 200kVA cabinet	POA
	SM060KDF	Dust Filter for SM060KMF	POA
	SM120KDF	Dust Filter for SM120KMF	POA
	SM200KDF	Dust Filter for SM200KMF	POA
	SMNNPK	Parallel kit for cabinet	\$899.00
	HSTP33 (3-Phase)		
Details			
C	HSTP3T10KE	10kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T10KEBC	10kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T10KEBCWOB	10kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	\$5,189.00
	HSTP3T15KE	15kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T15KEBC	15kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T15KEBCWOB	15kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	\$5,919.00
	HSTP3T20KE	20kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T20KEBC	20kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T20KEBCWOB	20kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	\$7,419.00
	HSTP3T30KE	30kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T30KEBC	30kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T30KEBCWOB	30kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	\$9,169.00
	HSTP3T40KE	40kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T40KEBC	40kVA 400/230Vac 3-Phase UPS, cabinet with built-in batteries	POA
	HSTP3T40KEBCWOB	40kVA 400/230Vac 3-Phase UPS, cabinet without built-in batteries	\$11,409.00
	HSTP3T60KE	60kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T80KE	80kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T90KE	90kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T100KE	100kVA 400/230Vac 3-Phase UPS	POA
	HSTP3T120KE	120kVA 400/230Vac 3-Phase UPS	POA
PARLCARD301	Parallel card for HSTP3T10/15KE Series	POA	
PARLCARD302	Parallel card for HSTP3T20/30KE Series	POA	
PARLCARD303	Parallel card for HSTP3T40KE Series	POA	
PARLCARD304	Parallel card for over HSTP3T60KE Series	POA	

Batteries

Option	Model	Description	SRP (Inc. GST)
Battery Cabinet and Accessories			
Details			
D	SMBF17	Main frame battery cabinet for optional batteries 17AH 40pcs	POA
	SMBF20	Main frame battery cabinet for optional batteries 20AH 40pcs	POA
	SMBF26	Main frame battery cabinet for optional batteries 26AH 40pcs	POA
	SMBF33	Main frame battery cabinet for optional batteries 33AH 40pcs	POA
	SMBF40	Main frame battery cabinet for optional batteries 40AH 40pcs	POA
	SMBF65	Main frame battery cabinet for optional batteries 65AH 40pcs	POA
	SMBCB125	Circuit breaker magnetic Nader NDM2Z-125 3P, 125A/3 poles	POA
	SMBCB250	Circuit breaker magnetic Nader NDM2Z-250 3P, 250A/3 poles	POA
	SMBCB400	Circuit breaker magnetic Nader NDM2Z-400 3P, 400A/3 poles	POA
	SM125C20_17	Internal cable and copper bar for SM125C20_17	POA
SM250C40_26	Internal cable and copper bar for SM250C40_26	POA	
SM400C65	Internal cable and copper bar for SM400C65	POA	
Battery			
Details			
E	BP17-12	Battery VRLA BB BP17-12FR 12V/17AH B1	POA
	BP20-12	Battery VRLA BB BP20-12FR 12V/20AH B1	POA
	BP26-12	Battery VRLA BB BP26-12FR 12V/26AH I1	POA
	BP40-12	Battery VRLA BB BP40-12FR 12V/40AH I1	POA
	BP65-12	Battery VRLA BB BP65-12FR 12V/65AH I2	POA
Battery Cabinet			
Details			
F	SMBF18A2BT	Battery cabinet without batteries, for up to 8 * SMBT9A10 battery trays POA	POA
	SMBF36A4BT	Battery cabinet without batteries, for up to 16 * SMBT9A10 battery trays POA	POA
	SMBF72A8BT	Battery cabinet without batteries, for up to 32 * SMBT9A10 battery trays POA	POA
	SMBT9A10	Battery tray with 10 * 12V/9AH batteries POA	POA

Smart Management Solutions

Option	Model	Description	SRP (Inc. GST)
SNMP Card & Sensor			
Details			
G	RMCARD	SNMP card for 3-Phase UPS	POA
	SMPTEMP	Temperature Sensor for 3-Phase UPS	\$49.00



Many CyberPower products, including Smart App UPS Systems, Automatic Transfer Switches, and Remote Management Card have passed the test to be Cisco compatible and are recognised to support other Cisco-enabled entities. With this extended ability to monitor and control power distribution, CyberPower products can help you achieve best energy performance and greatly improve your system's energy-savings. To make your experience with CyberPower even better, devices connected to Cisco compatible CyberPower products will immediately become Cisco compatible, allowing you to effectively optimise energy consumption for all business sizes.

Racks

Option	Model	Description	SRP (Inc. GST)
Floor Standing Rack			
H	CR48U11001	48U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,749.00
	CR48U11002	48U 600mm wide 1200mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,099.00
	CR42U11001	42U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,889.00
	CR42U11002	42U 750mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,849.00
	CR42U11003	42U 600mm wide 1200mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,809.00
	CR42U11004	42U 750mm wide 1200mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$2,169.00
	CR24U11001	24U 600mm wide 1070mm deep rack enclosure, hex perforated metal door, 4 casters, 1300kg loading capacity	\$1,369.00
Wall Mount Enclosures			
I	CR12U51001	12U 600mm wide 600mm deep swing-out wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$339.00
	CR9U61001	9U 600mm wide 600mm deep wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$299.00
	CR6U61001	6U 600mm wide 600mm deep wall mount enclosure, hex perforated metal door, 60kg loading capacity	\$279.00
4-Post Open Frame Rack			
J	CR45U40001	45U 600mm wide 558.8mm-1023mm deep 4-post open frame rack, depth adjustable, 800kg loading capacity	\$539.00
	CR25U40001	25U 600mm wide 558.8mm-1023mm deep 4-post open frame rack, depth adjustable, 800kg loading capacity	\$389.00
Fans			
K	CRA12001	208/240Vac roof fan panel, 6 * fans, for 1070mm-1200mm deep enclosures	\$209.00
	CRA12002	208/240Vac wall mount fan kit, 2 * fans	\$79.00
	CRA12003	208/240Vac 19" 3U fan panel, 3 * fans	\$119.00
Air Flow Management			
L	CRA20001	1U blanking panel kit, toolless installation, 10pcs per pack	\$59.00
Cable Management			
M	CRA30001	Vertical duct cable manager with cover, 2 * 1.8m sections, toolless mounting	\$59.00
	CRA30002	19" 1U metal duct cable manager with cover	\$19.00
	CRA30003	19" 1U plastic duct cable manager with cover	\$19.00
	CRA30004	19" 1U flexible ring cable manager	\$19.00
	CRA30005	19" 1U brush panel	\$19.00
	CRA30006	19" 2U flexible ring cable manager	\$29.00
	CRA30007	Vertical flexible ring cable manager, 2 * 1.8m sections, toolless mounting	\$59.00
	CRA30008	Cable ladder 3m, 2 * 1.5m sections	\$109.00
	CRA30009	Power cable trough, for 600mm wide rack enclosures	\$59.00
	CRA30010	Data cable partitions, 2 partitions, for 600mm wide rack enclosures	\$69.00
Security			
N	CRA40001	Combination door lock, 2 per pack	\$89.00
Shelves			
O	CRA50001	19" 2U cantilever shelf, 350mm deep	\$39.00
	CRA50002	19" 1U cantilever shelf, 350mm deep	\$29.00
	CRA50003	19" 1U sliding shelf, 650mm deep	\$79.00
	CRA50004	19" 1U sliding keyboard shelf, 500mm deep	\$89.00
	CRA50005	19" 1U heavy duty fixed shelf, 650mm deep, mounting depth adjustable, for rack enclosure	\$79.00
	CRA50006	19" 1U heavy duty 558.8mm-1023mm depth adjustable shelf, for 4-post open-frame rack	\$129.00
Rack Hardware			
P	CRA60001	M6 cage nut and screw hardware, 50 per pack	\$29.00
	CRA60002	Caster kit, 4 per pack	\$49.00
	CRA60003	Heavy duty caster kit, 4 per pack, with 4 * leveling feet and 2 * L-shape plates	\$139.00
	CRA60004	Rack enclosure stabiliser kit, 2 per pack	\$89.00

*Cyberpower reserves the right to change specification or pricing, without prior notice.

Power Distribution Units

SPP Guide Model	Size	SRP (Inc. GST)
Basic		
PDU20BHVIEC12R	1U	\$169.00
PDU20BHVIEC12Ra	1U	\$189.00
PDU10BVHVIEC16F	0U	\$239.00
PDU10BVHVIEC20F	0U	\$329.00
PDU20BVHVIEC24F	0U	\$429.00
PDU20BVHVIEC32F	0U	\$399.00
Metered		
PDU20MVHVIEC24F	0U	\$399.00
Monitored		
PDU31004	1U	\$569.00
PDU31005	1U	\$629.00
PDU31406	0U	\$1,149.00
Switched		
PDU41004	1U	\$689.00
PDU41005	1U	\$749.00
PDU41404	0U	\$1,369.00
PDU41405	0U	\$1,579.00
Switched Metered-by-Outlet		
PDU81004	1U	\$759.00
PDU81005	1U	\$829.00
PDU81404	0U	\$1,559.00
PDU81405	0U	\$1,809.00
Metered ATS		
PDU15MHVIEC12AT	1U	\$739.00
PDU20MHVIEC10AT	1U	\$759.00
PDU20MHVCEE10AT	1U	\$929.00
PDU32MHVCEE18AT	2U	\$1,099.00
Switched ATS		
PDU15SWHVIEC12ATNET	1U	\$929.00
PDU20SWHVIEC10ATNET	1U	\$1,019.00
PDU20SWHVCEE10ATNET	1U	\$1,429.00
PDU32SWHVCEE18ATNET	2U	\$1,609.00



Battery Management System

Model	BM100
Electrical	
Input DC Voltage Range	15-60Vdc
Power Consumption	4W
Number of Monitored Strings	4
Number of String Batteries	40
Management & Communication	
UPS Monitoring	DB9 - CyberPower UPS Protocol
Building Management System	RJ45 - RS485 Communication
Configuration and Environmental Sensor	RJ45 - Local Diagnostic, Firmware Upgrade or with Optional Environmental Sensor
Network Protocols	IPv4, TCP/IP, UDP, SNMPv1, HTTP, NTP, DNS, Telnet, DHCP, SMTP, FTP, IPv6, SNMPv3, HTTPS, SSH, SSL, TLS
Network Connection	RJ45 - 10/100Mbps Ethernet
Indicators	LCD and 5 Status LEDs
Physical	
Unpackaged Dimensions (WxDxH)(cm)	21 x 10 x 2.9
Unpackaged Net Weight (kg)	0.573
Environmental	
Operating Temperature	-40°F to 140°F (-40°C to 60°C)
Operating Humidity	0% - 90% Non-condensing
Operating Elevation	0-10,000 ft (0-3,000 m)
Certifications	
Safety	FCC Class A, CE
Environmental	RoHS Compliant
Warranty	
Product Warranty	1 Year Limited
SRP (Inc. GST)	\$499.00

Model	BP100-12V
Electrical	
Battery Rating Voltage	12V
Battery Rating Capacity	5-200Ah
Battery Type	Valve-Regulated Lead-Acid (VRLA), Vented Lead Acid (VLA)
Power Requirement	8-15V
Power Consumption	Normal operation < 180mW (12V/< 15mA)
Battery Resistance Range	1.0-60mΩ
Battery Leakage Current	< 100uA
Circuit Protection	DC fuse
Equalization Acceptable Voltage	> 13.2V
Features	
Internal Resistance Resolution/Accuracy	0.01mΩ/< 5%
Voltmeter Resolution/Accuracy	10 mV/<2%
Temperature Resolution	0-60°C with accuracy < 1°C, -40-0°C with accuracy < 2°C
Charge Balance	+/- 50mV typically
Communication	
Management Interface	RJ11 interface to Battery Manager and Probe
Indicators	1 Green LED and 1 Red LED
Isolation	Optically isolated from sensor photo coupler
Physical	
Unpackaged Dimensions (WxDxH)(cm)	5.5 x 8.0 x 2.5
Unpackaged Net Weight (kg)	0.055
Battery Interface	Ring terminal with 18" wire
Environmental	
Operating Temperature	-40°F to 140°F (-40°C to 60°C)
Operating Humidity	0% - 90% Non-condensing
Operating Elevation	0-10000 ft (0-3000 m)
Certifications	
Safety	FCC Class A, CE
Environmental	RoHS Compliant
Warranty	
Product Warranty	1 Year Limited
SRP (Inc. GST)	\$99.00

Telecom Power

Model	CSN27U12V-AZ2	CS24U12V
AC Input		
Input Voltage Range	90Vac - 264Vac	90Vac - 264Vac (Universal Input)
Input Frequency Range	47 - 70 Hz	
Input Power Cord	AS/NZS 3112I; EC60320 C8	
Output Ground Reference	Floating Ground	
DC Output		
On Battery Output Voltage	12Vdc	
Continuous Power Capability	24W	
Output Power Max	26.4W (< 3 sec)	24W
Efficiency (at Full Load)	> 80%	> 85%
Battery		
Battery Type	Sealed, Maintenance Free Lead-Acid Battery	
Number of Batteries	7.2AH/12V x 1	
Typical Recharge Time	14 Hours (90% charged)	18 Hours
Replaceable	Yes	
Surge Protection and Filtering		
Lightning/Surge Protection	Yes	
Warning Diagnostics		
Audible Indicator	Utility Failure, Low Battery	
LED Indicators	Utility Failure, Low Battery, Replace Battery	Utility Failure, Low Battery
Management		
Auto-Charge	Yes	
Communication Interface	On Battery, Replace Battery, Battery Missing, Low Battery	
Physical		
Maximum Dimensions (cm)	16.7 x 19 x 8.3	23.5 x 15.9 x 8.9
Weights (kg)	3.03	3.3
Weights (kg)	3.03	3.3
Operating Temperature	4°F - 113°F (-20°C -45°C) Operation at 50°C (122°F) with derating to 18W	32°F to 104°F (0°C to 40°C)
Operating Humidity	0 - 95% noncondensing within enclosure	
Max Operating Elevation	10,000 ft (3,000m)	
Max Storage Elevation	50,000 ft (15,000m)	
Storage Temperature	-4°F - 113°F (-20°C - 45°C)	5°F to 113°F (-15°C to 45°C)
SRP (Inc. GST)	POA	

BMS



DC UPS



Surge Protectors



Travel Adapter



Surge Protectors

Model	P0821UA1-AU / CPSURGE08USB-ANZ
Input	
Voltage	240V
Rating	240V/10A
Switch	On/Off
Circuit Breaker	10Amps Resettable
Power Cord	
Plug Type	AU
Plug Style	Straight
Cord Length	2.1m
Output	
Outlets-Total	8,000
Outlet Type	AU
USB Charging Ports	5V/2.4A
Number of USB Port (pcs)	2,000
Surge Protection & Filtering	
Surge Suppression	2,750 Joules
Maximum Surge Voltage	6,000V
Maximum Surge Current	67,500A
Maximum Surge Current L-N	37,500A
Maximum Surge Current H-G	15,000A
Maximum Surge Current N-G	15,000A
Clamping Voltage	L-N, L-G, N-G 1200V
Response Time	< 1 nanosecond
EMI/RFI Filtration	150 kHz to 100 MHz
Attenuation	Up to 32dB
Indicators	
Indicators	Protected (Green), Grounded (Green)
Physical Size	
Dimensions (WxHxD)(mm)	276 x 130 x 32
Weight (kg)	0.612
Warranty	
Product Warranty	Limited Lifetime
Connected Equipment Guarantee	Limited Lifetime
CEG Amount	AUD 50,000
SRP (Inc. GST)	\$59.00

Travel Adapter

Model	TRO1WSUCO-UN
Input	
Voltage	100 - 240V
Rating	6A
Power Cord	
Plug Type	UK/EU/US/AU
Output	
Outlet Type	UN x 1
USB Charging Ports	5V/2.4A
Number of USB Port (pcs)	2
Indicators	
Indicators	On/off
Physical	
Enclosure Construction	PC
Safety Covers	Yes
Dimensions (WxHxD)(mm)	66.5 x 70 x 55.5
Environmental	
Operating Temperature	32 °F - 95 °F / 0 °C - 35 °C
Operating Humidity	0% - 95% non-condensing
Storage Temperature	5 °F - 113°F / -15°C - 45 °C
Certifications	
RoHS	RoHS Compliant
Warranty	
Product Warranty	1 Year Limited
SRP (Inc. GST)	\$29.00

*Cyberpower reserves the right to change specification or pricing, without prior notice.

About CyberPower

Founded in 1997, CyberPower has followed a path to success through engineering excellence and quality standards in power protection and computer accessories. At our advanced technology manufacturing facilities, we build a comprehensive line of power protection products, including Uninterruptible Power Supplies (UPS), Racks, Power Distribution Units (PDUs), Power Inverters, Surge Protectors, Mobile Chargers, power management software and computer peripheral accessories. After years of implementation of a global branding strategy, what we've provided to millions of satisfied customers are not only award-winning products, but a sense of security.

Whether you are an IT professional working in a corporate data centre, an owner of a small-to-medium business, or a consumer using electronic devices at home, CyberPower has a wide range of power solutions to safeguard your critical equipment and valued data.